

acres of temporary wetland impacts during site preparation, creation of sediment basins, and installation of solar panels. Most of the streams in the Study Area have been channelized or are roadside ditches. Discharge of fill is not anticipated in the temporary impact areas and wetlands would remain underneath the solar panels. Applicable stormwater management practices would be implemented to comply with erosion and sediment control regulations. A Clean Water Action 404/401 Joint Permit Application and Coastal Zone Consistency Request is scheduled for submittal in December 2021.

The site does not contain open ocean, salt or brackish marshes, mudflats or sandflats, mangroves, cypress swamps, ponds, wet savannas, estuaries, large rivers or lakes, or mature pine forests. Therefore, the Canby's dropwort and pondberry would not occur in the Study Area due to the lack of suitable wetland/aquatic habitat. Also due to a lack of suitable habitat, none of the six federal listed birds nor the four sea turtles are expected to occur in the Study Area or be indirectly impacted by Project activities. USFWS coordination indicated a 30 year old red-cockaded woodpecker record about 2.5 miles north of the Study Area (**Appendix C**). However, the young age and homogenous forests in the Study Area are not suitable habitat for the red-cockaded woodpecker.

The monarch butterfly was not a candidate species when Project surveys were conducted in 2020 and therefore was not specifically assessed during the site investigation. Due to the silviculture land use in the Study Area, potentially suitable milkweed habitat with full sun and drained loamy soils has been historically limited to roadsides and the electrical utility ROW. Monarchs could forage in the Study Area during migration but due to the lack of detected milkweed (*Asclepias* spp.) and limited suitable foraging habitat, the monarch butterfly is not anticipated to breed or routinely occupy the Study Area other than for foraging during migration.

Potentially suitable habitat was determined to occur in the Study Area for the northern long-eared bat (NLEB) and American chaffseed. The site investigation identified the electrical utility ROW to be potentially suitable habitat for the American chaffseed. A species-specific survey was subsequently conducted in the utility ROW for the American chaffseed but did not detect the plant.

American chaffseed (*Schwalbea americana*)

The American chaffseed is an erect perennial herb with unbranched stems and large, purplish-yellow, tubular flowers. Plants are found in sandy, acidic, and seasonally moist to dry soils. It is generally found in open, moist pine flatwoods, fire-maintained savannas, ecotonal areas between peaty wetlands and xeric sandy soils, and other open grass-sedge systems.¹ A known population of American chaffseed located 20 miles south of the Study Area in the Francis Marion National Forest was visited with US Forest Service personnel prior to conducting the species-specific survey within the Study Area.

The Study Area predominately contains recently timbered and planted pine forests with moist, loamy soils and dense understory. The species-specific survey found that the electrical utility ROW did not exhibit maintained, xeric soils, as supported by the presence of yellow trumpet pitcher plants (*Sarracenia flava*), often found in wetlands with long periods of standing water. The ROW also contained a wide range of grass and shrub species, such as orange milkwort (*Polygala lutea*), giant white-topped sedge (*Dichromena latifolia*), inkberry (*Ilex glabra*), savannah meadow beauty (*Rhexia alifanus*), and leathery rush (*Juncus coriaceous*), that would outcompete the American chaffseed. Therefore, suitable habitat for the American chaffseed does not occur within the utility ROW or elsewhere in the Study Area.

¹ [FWS.gov \(American chaffseed\)](https://www.fws.gov/american-chaffseed)

Northern long-eared bat (*Myotis septentrionalis*)

The NLEB is a medium-sized bat that hibernates from late fall through winter (November 15 - March 31), primarily in caves and mines. In the spring and summer months (April 1 – November 15) they roost during the day underneath bark, cavities, or crevices of trees and snags. The NLEB forages in open areas with standing water or large flowing streams.²

Most of the Study Area contains recently cleared areas with limited remaining planted pine about 15-25 years of age with a relatively dense understory. A few patches of mixed pine-hardwoods were identified in the Study Area with potentially suitable habitat for bat summer roosting (**Appendix A, Figure 5**). Additionally, areas were identified in the Study Area with trees having exfoliating bark and crevices suitable for summer roosting. However, the majority of upland pine trees have since been cleared from areas scheduled for solar panel installation (**Appendix A, Site Photographs**).

EFFECTS DETERMINATION

Small pockets of summer roosting habitat for the NLEB and limited foraging habitat for the monarch butterfly occur in the Study Area. To the extent possible, the Project would minimize effects on NLEB by conducting the remaining tree clearing in mapped suitable roosting habitat (**Appendix A, Figure 5**) during the inactive season (November 15 and March 31). Although some limited tree clearing could extend into the active season for NLEB, the majority of Project uplands have been cleared of trees and the areas with forested hardwoods, if not already cleared, would be largely avoided during development (**Appendix A, Site Photographs**). Therefore, because the Study Area currently contains limited or no remaining suitable roosting habitat for the NLEB in areas planned for Project development, the Project may affect but is not likely to adversely affect the NLEB.

The Project could result in the temporary displacement of a few foraging monarch butterflies but is not expected to result in adverse effects on the species or the death of individuals. Therefore, the Project may affect, but is not likely to adversely affect the monarch butterfly. No suitable habitat for the remaining 13 identified species occurs within the Study Area; therefore, no effects on these species would occur.

If the Project schedule or scope changes prior to construction, additional consultation with the USFWS would be initiated regarding the potential impacts on federal listed species. For additional information, please contact Andrew Phillips at 720.876.7667 or by email at andrew.phillips@hdrinc.com.

HDR Engineering, Inc. of the Carolinas



Andrew Phillips
Senior Biologist, HDR Inc.

² [SCDNR - Bats](#)

Appendix A – Figures/Plans/Site Photographs

Figure 1. Project Vicinity

Figure 2. USGS Topographic Quadrangle

Figure 3. Aerial Imagery, Wetlands, and Photo Points

Figure 4. NRCS Soils

Figure 5. NLEB Suitable Habitat

Project Design Plans (HDR Layout)

Site Photographs (1 - 6)

Appendix B – Special Status Species Reports

USFWS IPaC List of Federal Species Report

SCDNR Data Explorer Project Report

Appendix C

USFWS Correspondence

CC: Mr. Connor Echols, SRC
Ms. Blair Wade, HDR



Appendix A

Figures, Design Plans, and
Site Photographs









FIGURE 2

USFAS CONSULTATION LETTER



SR LAMBERT
AERIAL IMAGERY, WETLANDS, AND REPRESENTATIVE PHOTOGRAPHS


FIGURE 3

PATH: \\C:\Users\jg\Documents\2022\SR LAMBERT\21-01\Map\2022\WETLANDS\CONSULTATION LETTERS\PROJECT ADMIN\WETLANDS - USER\WETLANDS - LITE 12/1/2021

USFWS CONSULTATION LETTER









Photograph 1 – Representative Site Conditions (October 20, 2021)



Photograph 2 – Representative Site Conditions, recently timbered (October 20, 2021)



Photograph 3 – Representative Site Conditions, recently timbered (October 20, 2021)



Photograph 4 – Transmission Right-of-Way (October 20, 2021)



Photograph 5 – Non-Wetland Water, facing downstream (October 20, 2021)



Photograph 6 – Mixed hardwood wetlands (October 20, 2021)



Appendix B

IPaC and SCDNR Species Reports





United States Department of the Interior

FISH AND WILDLIFE SERVICE

South Carolina Ecological Services
176 Croghan Spur Road, Suite 200
Charleston, SC 29407-7558
Phone: (843) 727-4707 Fax: (843) 727-4218
<http://www.fws.gov/charleston/>



In Reply Refer To:
Consultation Code: 04ES1000-2022-SLI-0044
Event Code: 04ES1000-2022-E-00093
Project Name: Silicon Ranch Lambert Solar Facility

October 16, 2021

Subject: List of threatened and endangered species that may occur in your proposed project location or may be affected by your proposed project

To Whom It May Concern:

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the Endangered Species Act (Act) of 1973, as amended (16 U.S.C. 1531 *et seq.*).

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the Act, the accuracy of this species list should be verified after 90 days. This verification can be completed formally or informally as desired. The Service recommends that verification be completed by visiting the ECOS-IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the ECOS-IPaC system by completing the same process used to receive the enclosed list.

The purpose of the Act is to provide a means whereby threatened and endangered species and the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the Act and its implementing regulations (50 CFR 402 *et seq.*), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

10/16/2021

Event Code: 04ES1000-2022-E-00093

2

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (42 U.S.C. 4332(2)(c)). For projects other than major construction activities, the Service suggests that a biological evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

<http://www.fws.gov/endangered/esa-library/pdf/TOC-GLOS.PDF>

Please be aware that bald and golden eagles are protected under the Bald and Golden Eagle Protection Act (16 U.S.C. 668 *et seq.*), and projects affecting these species may require development of an eagle conservation plan (http://www.fws.gov/windenergy/eagle_guidance.html). Additionally, wind energy projects should follow the wind energy guidelines (<http://www.fws.gov/windenergy/>) for minimizing impacts to migratory birds and bats.

Guidance for minimizing impacts to migratory birds for projects including communications towers (e.g., cellular, digital television, radio, and emergency broadcast) can be found at:

<http://www.fws.gov/migratorybirds/CurrentBirdIssues/Hazards/towers/towers.htm>;

<http://www.towerkill.com>; and

www.fws.gov/migratorybirds/CurrentBirdIssues/Hazards/towers/comtow.html.

<http://>

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. Please include the Consultation Tracking Number in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.

Attachment(s):

- Official Species List
- USFWS National Wildlife Refuges and Fish Hatcheries
- Migratory Birds

10/16/2021

Event Code: 04ES1000-2022-E-00093

1

Official Species List

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

South Carolina Ecological Services
176 Croghan Spur Road, Suite 200
Charleston, SC 29407-7558
(843) 727-4707

10/16/2021

Event Code: 04ES1000-2022-E-00093

2

Project Summary

Consultation Code: 04ES1000-2022-SLI-0044

Event Code: Some(04ES1000-2022-E-00093)


Project Name: Silicon Ranch Lambert Solar Facility

Project Type: POWER GENERATION

Project Description: Silicon Ranch Corporation is proposing to construct SR Lambert Solar Facility (Project) located in Georgetown County, South Carolina about 7 miles south of the Town of Andrews between Saints Delight Road and County Road S 22-387. Two solar arrays are proposed within the 2,082-acre site (Study Area), known as Lambert I and II.

Project Location:

Approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@33.3349855,-79.54148766228519,14z>



Counties: Georgetown County, South Carolina

10/16/2021

Event Code: 04ES1000-2022-E-00093

3

Endangered Species Act Species

There is a total of 14 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries¹, as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

1. [NOAA Fisheries](#), also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

Mammals

| NAME | STATUS |
|--|------------|
| Northern Long-eared Bat <i>Myotis septentrionalis</i> No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/9045 | Threatened |

10/16/2021

Event Code: 04ES1000-2022-E-00093

4

Birds

| NAME | STATUS |
|--|------------|
| <p>Eastern Black Rail <i>Laterallus jamaicensis ssp. jamaicensis</i></p> <p>No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/10477</p> | Threatened |
| <p>Piping Plover <i>Charadrius melodus</i></p> <p>Population: [Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered. There is final critical habitat for this species. The location of the critical habitat is not available. Species profile: https://ecos.fws.gov/ecp/species/6039</p> | Threatened |
| <p>Red Knot <i>Calidris canutus rufa</i></p> <p>There is proposed critical habitat for this species. The location of the critical habitat is not available. Species profile: https://ecos.fws.gov/ecp/species/1864</p> | Threatened |
| <p>Red-cockaded Woodpecker <i>Picoides borealis</i></p> <p>No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/7614</p> | Endangered |
| <p>Wood Stork <i>Mycteria americana</i></p> <p>Population: AL, FL, GA, MS, NC, SC No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/8477</p> | Threatened |

Reptiles

| NAME | STATUS |
|--|------------|
| <p>Green Sea Turtle <i>Chelonia mydas</i></p> <p>Population: North Atlantic DPS There is final critical habitat for this species. The location of the critical habitat is not available. Species profile: https://ecos.fws.gov/ecp/species/6199</p> | Threatened |
| <p>Kemp's Ridley Sea Turtle <i>Lepidochelys kempii</i></p> <p>There is proposed critical habitat for this species. The location of the critical habitat is not available. Species profile: https://ecos.fws.gov/ecp/species/5523</p> | Endangered |
| <p>Leatherback Sea Turtle <i>Dermochelys coriacea</i></p> <p>There is final critical habitat for this species. The location of the critical habitat is not available. Species profile: https://ecos.fws.gov/ecp/species/1493</p> | Endangered |
| <p>Loggerhead Sea Turtle <i>Caretta caretta</i></p> <p>Population: Northwest Atlantic Ocean DPS There is final critical habitat for this species. The location of the critical habitat is not available. Species profile: https://ecos.fws.gov/ecp/species/1110</p> | Threatened |

10/16/2021

Event Code: 04ES1000-2022-E-00093

5

Insects

| NAME | STATUS |
|--|-----------|
| Monarch Butterfly <i>Danaus plexippus</i> No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/9743 | Candidate |

Flowering Plants

| NAME | STATUS |
|--|------------|
| American Chaffseed <i>Schwalbea americana</i> No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/1286 | Endangered |
| Canby's Dropwort <i>Oxypolis canbyi</i> No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/7738 | Endangered |
| Pondberry <i>Lindera melissifolia</i> No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/1279 | Endangered |

Critical habitats

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

10/16/2021

Event Code: 04ES1000-2022-E-00093

1

USFWS National Wildlife Refuge Lands And Fish Hatcheries

Any activity proposed on lands managed by the [National Wildlife Refuge](#) system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

THERE ARE NO REFUGE LANDS OR FISH HATCHERIES WITHIN YOUR PROJECT AREA.

10/16/2021

Event Code: 04ES1000-2022-E-00093

1

Migratory Birds

Certain birds are protected under the Migratory Bird Treaty Act¹ and the Bald and Golden Eagle Protection Act².

Any person or organization who plans or conducts activities that may result in impacts to migratory birds, eagles, and their habitats should follow appropriate regulations and consider implementing appropriate conservation measures, as described [below](#).

1. The [Migratory Birds Treaty Act](#) of 1918.
2. The [Bald and Golden Eagle Protection Act](#) of 1940.
3. 50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)

The birds listed below are birds of particular concern either because they occur on the [USFWS Birds of Conservation Concern](#) (BCC) list or warrant special attention in your project location. To learn more about the levels of concern for birds on your list and how this list is generated, see the FAQ [below](#). This is not a list of every bird you may find in this location, nor a guarantee that every bird on this list will be found in your project area. To see exact locations of where birders and the general public have sighted birds in and around your project area, visit the [E-bird data mapping tool](#) (Tip: enter your location, desired date range and a species on your list). For projects that occur off the Atlantic Coast, additional maps and models detailing the relative occurrence and abundance of bird species on your list are available. Links to additional information about Atlantic Coast birds, and other important information about your migratory bird list, including how to properly interpret and use your migratory bird report, can be found [below](#).

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, click on the PROBABILITY OF PRESENCE SUMMARY at the top of your list to see when these birds are most likely to be present and breeding in your project area.

| NAME | BREEDING SEASON |
|---|------------------------|
| Prothonotary Warbler <i>Protonotaria citrea</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. | Breeds Apr 1 to Jul 31 |

Probability Of Presence Summary

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read and understand the FAQ "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

Probability of Presence (■)

10/16/2021

Event Code: 04ES1000-2022-E-00093

2

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. (A year is represented as 12 4-week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.
2. To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is $0.25/0.25 = 1$; at week 20 it is $0.05/0.25 = 0.2$.
3. The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

Breeding Season (■)

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

Survey Effort (|)

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps. The number of surveys is expressed as a range, for example, 33 to 64 surveys.

No Data (—)

A week is marked as having no data if there were no survey events for that week.

Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.

■ probability of presence ■ breeding season | survey effort — no data


SPECIES JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC

10/16/2021

Event Code: 04ES1000-2022-E-00093

3

Prothonotary
Warbler
BCC Rangewide
(CON)



Additional information can be found using the following links:

- Birds of Conservation Concern <http://www.fws.gov/birds/management/managed-species/birds-of-conservation-concern.php>
- Measures for avoiding and minimizing impacts to birds <http://www.fws.gov/birds/management/project-assessment-tools-and-guidance/conservation-measures.php>
- Nationwide conservation measures for birds <http://www.fws.gov/migratorybirds/pdf/management/nationwidestandardconservationmeasures.pdf>

Migratory Birds FAQ

Tell me more about conservation measures I can implement to avoid or minimize impacts to migratory birds.

[Nationwide Conservation Measures](#) describes measures that can help avoid and minimize impacts to all birds at any location year round. Implementation of these measures is particularly important when birds are most likely to occur in the project area. When birds may be breeding in the area, identifying the locations of any active nests and avoiding their destruction is a very helpful impact minimization measure. To see when birds are most likely to occur and be breeding in your project area, view the Probability of Presence Summary. [Additional measures](#) or [permits](#) may be advisable depending on the type of activity you are conducting and the type of infrastructure or bird species present on your project site.

What does IPaC use to generate the migratory birds potentially occurring in my specified location?

The Migratory Bird Resource List is comprised of USFWS [Birds of Conservation Concern \(BCC\)](#) and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the [Avian Knowledge Network \(AKN\)](#). The AKN data is based on a growing collection of [survey, banding, and citizen science datasets](#) and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle ([Eagle Act](#) requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the [AKN Phenology Tool](#).

What does IPaC use to generate the probability of presence graphs for the migratory birds potentially occurring in my specified location?

10/16/2021

Event Code: 04ES1000-2022-E-00093

4

The probability of presence graphs associated with your migratory bird list are based on data provided by the [Avian Knowledge Network \(AKN\)](#). This data is derived from a growing collection of [survey, banding, and citizen science datasets](#).

Probability of presence data is continuously being updated as new and better information becomes available. To learn more about how the probability of presence graphs are produced and how to interpret them, go the Probability of Presence Summary and then click on the "Tell me about these graphs" link.

How do I know if a bird is breeding, wintering, migrating or present year-round in my project area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating or year-round), you may refer to the following resources: [The Cornell Lab of Ornithology All About Birds Bird Guide](#), or (if you are unsuccessful in locating the bird of interest there), the [Cornell Lab of Ornithology Neotropical Birds guide](#). If a bird on your migratory bird species list has a breeding season associated with it, if that bird does occur in your project area, there may be nests present at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

What are the levels of concern for migratory birds?

Migratory birds delivered through IPaC fall into the following distinct categories of concern:

1. "BCC Rangewide" birds are [Birds of Conservation Concern](#) (BCC) that are of concern throughout their range anywhere within the USA (including Hawaii, the Pacific Islands, Puerto Rico, and the Virgin Islands);
2. "BCC - BCR" birds are BCCs that are of concern only in particular Bird Conservation Regions (BCRs) in the continental USA; and
3. "Non-BCC - Vulnerable" birds are not BCC species in your project area, but appear on your list either because of the [Eagle Act](#) requirements (for eagles) or (for non-eagles) potential susceptibilities in offshore areas from certain types of development or activities (e.g. offshore energy development or longline fishing).

Although it is important to try to avoid and minimize impacts to all birds, efforts should be made, in particular, to avoid and minimize impacts to the birds on this list, especially eagles and BCC species of rangewide concern. For more information on conservation measures you can implement to help avoid and minimize migratory bird impacts and requirements for eagles, please see the FAQs for these topics.

Details about birds that are potentially affected by offshore projects

For additional details about the relative occurrence and abundance of both individual bird species and groups of bird species within your project area off the Atlantic Coast, please visit the [Northeast Ocean Data Portal](#). The Portal also offers data and information about other taxa besides birds that may be helpful to you in your project review. Alternately, you may download the bird model results files underlying the portal maps through the [NOAA NCCOS Integrative Statistical Modeling and Predictive Mapping of Marine Bird Distributions and Abundance on the Atlantic Outer Continental Shelf](#) project webpage.

10/16/2021

Event Code: 04ES1000-2022-E-00093

5

Bird tracking data can also provide additional details about occurrence and habitat use throughout the year, including migration. Models relying on survey data may not include this information. For additional information on marine bird tracking data, see the [Diving Bird Study](#) and the [nanotag studies](#) or contact [Caleb Spiegel](#) or [Pam Loring](#).

What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to [obtain a permit](#) to avoid violating the Eagle Act should such impacts occur.

Proper Interpretation and Use of Your Migratory Bird Report

The migratory bird list generated is not a list of all birds in your project area, only a subset of birds of priority concern. To learn more about how your list is generated, and see options for identifying what other birds may be in your project area, please see the FAQ "What does IPaC use to generate the migratory birds potentially occurring in my specified location". Please be aware this report provides the "probability of presence" of birds within the 10 km grid cell(s) that overlap your project; not your exact project footprint. On the graphs provided, please also look carefully at the survey effort (indicated by the black vertical bar) and for the existence of the "no data" indicator (a red horizontal bar). A high survey effort is the key component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort bar or no data bar means a lack of data and, therefore, a lack of certainty about presence of the species. This list is not perfect; it is simply a starting point for identifying what birds of concern have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list helps you know what to look for to confirm presence, and helps guide you in knowing when to implement conservation measures to avoid or minimize potential impacts from your project activities, should presence be confirmed. To learn more about conservation measures, visit the FAQ "Tell me about conservation measures I can implement to avoid or minimize impacts to migratory birds" at the bottom of your migratory bird trust resources page.

South Carolina Department of Natural Resources

PO Box 167
Columbia, SC 29202
(803) 734-1396
speciesreview@dnr.sc.gov



Robert H. Boyles, Jr.

Director

Emily C. Cope


Deputy Director for

Wildlife and Freshwater Fisheries

Requested on Monday, October 18, 2021 by Andrew Phillips.

Re: Request for Threatened and Endangered Species Consultation
Andrew Phillips - SR Lambert Solar Facility Project
Solar
Georgetown County, South Carolina

The South Carolina Department of Natural Resources (SCDNR) has received your request for threatened and endangered species consultation of the above named project in Georgetown County, South Carolina. The following map depicts the project area and a 2 mile buffer surrounding:



South Carolina Department of Natural Resources



Robert H. Boyles, Jr.

Director

Emily C. Cope

Deputy Director for
Wildlife and Freshwater Fisheries

This report includes the following items:

- A - A report for species which intersect the project area
- B - A report for species which intersect the buffer around the project area
- C - A list of best management practices relevant to species near to or within the project area
- D - A list of best management practices relevant to the chosen project type
- E - Instructions to submit new species observation records to the SC Natural Heritage Program

Please be advised:

The contents of this report, including all tables, maps, recommendations, and various other text, are produced as a direct result of the information a user provides at the time of submission. The SCDNR assumes that all information submitted by the user represents the project scope as proposed, and recommends that additional reports be requested should the scope deviate from how the project was initially represented to the SCDNR.

The technical comments outlined in this report are submitted to speak to the general impacts of the activities as described through inquiry by parties outside the South Carolina Department of Natural Resources. These technical comments are submitted as guidance to be considered and are not submitted as final agency comments that might be related to any unspecified local, state or federal permit, certification or license applications that may be needed by any applicant or their contractors, consultants or agents presently under review or not yet made available for public review. In accordance with its policy 600.01, Comments on Projects Under Department Review, the South Carolina Department of Natural Resources, reserves the right to comment on any permit, certification or license application that may be published by any regulatory agency which may incorporate, directly or by reference, these technical comments.

Interested parties are to understand that SCDNR may provide a final agency position to regulatory agencies if any local, state or federal permit, certification or license applications may be needed by any applicant or their contractors, consultants or agents. For further information regarding comments and input from SCDNR on your project, please contact our Office of Environmental Programs by emailing environmental@dnr.sc.gov or by visiting www.dnr.sc.gov/environmental. Pursuant to Section 7 of the Endangered Species Act, requests for formal letters of concurrence with regards to federally listed species should be directed to the USFWS.

Should you have any questions or need more information, please do not hesitate to contact our office by email at speciesreview@dnr.sc.gov or by phone at 803-734-1396.

Sincerely,

A handwritten signature in black ink, appearing to read "Joe Lemeris".


Joseph Lemeris, Jr.
Heritage Trust Program
SC Department of Natural Resources

A. Project Area - Species Report

There are 0 tracked species records found within the project footprint. The following table outlines occurrences found within the project footprint (if any), sorted by listing status and species name. Please keep in mind that this information is derived from existing databases and do not assume that it is complete. Areas not yet inventoried may contain significant species or communities. You can find more information about global and state rank status definitions by visiting NatureServe's web page. Please note that certain sensitive species found on site may be listed in this table but are not represented on the map. Please contact speciesreview@dnr.sc.gov should you have further questions related to sensitive species found within the project area.



Map Credits: Sources: Esri, USGS, CNES/Airbus DS, InterMap, Kartverket, LINZ, NASA/METI, NASA/NGS, NLS, Finland, NI.SI, Ordnance Survey, SKGeodesy, Esri, HERE, Garmin, SafeGraph, METI/NASA, USGS, EPA, NPS, USDA, Esri, NASA, NGA, USGS, FEMA




No records for species of concern are found within the project area

B. Buffer Area - Species Report

The following table outlines rare, threatened or endangered species found within 2 miles of the project footprint, arranged in order of protection status and species name. Please keep in mind that this information is derived from existing databases and do not assume that it is complete. Areas not yet inventoried may contain significant species or communities. You can find more information about global and state rank status definitions by visiting Natureserve's web page. Please note that certain sensitive species found within the buffer area may be listed in this table but are not represented on the map.



Map Credits: Sources: Esri, USGS, CNES/Airbus DS, InterMap, Kartverket, LINZ, NASA/METI, NASA/NGS, NLS Finland, NLSI, Ordnance Survey, SKGeodesy, Esri, HERE, Garmin, SafeGraph, METI/NASA, USGS, EPA, NPS, USDA, Esri, NASA, NGA, USGS




| Scientific Name | Common Name | G Rank | S Rank | Fed. Status | State Status | SWAP Priority | Last Obs. Date |
|-------------------------------|-----------------|--------|--------|----------------|----------------|---------------|----------------|
| <i>Anguilla rostrata</i> | American Eel | G4 | S3S4 | Not Applicable | Not Applicable | Highest | 2007-05-14 |
| <i>Anguilla rostrata</i> | American Eel | G4 | S3S4 | Not Applicable | Not Applicable | Highest | 1977-07-11 |
| <i>Procambarus blandingii</i> | Santee Crayfish | G4 | S4 | Not Applicable | Not Applicable | Moderate | No Date |
| <i>Procambarus blandingii</i> | Santee Crayfish | G4 | S4 | Not Applicable | Not Applicable | Moderate | 1983-01-09 |

C. Species Best Management Practices (1 of 1)

SCDNR offers the following comments and best management practices (BMPs) regarding this project's potential impacts to species of concern which may be found on or near to the project area. Please contact speciesreview@dnr.sc.gov should you have further questions with regard to survey methods, consultation, or other species-related concerns.



Map Credits: Sources: Esri, USGS, CNES/Airbus DS, InterMap, Kartverket, LINZ, NASA/METI, NASA/NGS, NLS Finland, NLSI, Ordnance Survey, SKGeodesy, Esri, HERE, Garmin, SafeGraph, METI/NASA, USGS, EPA, NPS, USDA, Esri, NASA, NGA, USGS, FEMA



Cavity- and tree-roosting bat species including the federally threatened northern long-eared bat (*Myotis septentrionalis*), state-endangered Rafinesque's big-eared bat (*Corynorhinus rafinesquii*), and the federally at-risk tricolored bat (*Perimyotis subflavus*) have been known to occur in the county of the proposed site. As a conservation measure, it is recommended that any tree clearing activities be conducted during the inactive season for Northern long-eared bat (November 15th through March 31st) to avoid negative impacts to the species. If any of the above species are found on-site, please contact the USFWS and SCDNR.


Species in the above table with SWAP priorities of High, Highest or Moderate are designated as having conservation priority under the South Carolina State Wildlife Action Plan (SWAP). SWAP species are those species of greatest conservation need not traditionally covered under any federal funded programs. Species are listed in the SWAP because they are rare or designated as at-risk due to knowledge deficiencies; species common in South Carolina but listed rare or declining elsewhere; or species that serve as indicators of detrimental environmental conditions. SCDNR recommends that appropriate measures should be taken to minimize or avoid impacts to the aforementioned species of concern.

D. Project Best Management Practices (1 of 4)

SCDNR offers the following comments and best management practices (BMPs) regarding this project's potential impacts to natural resources within or surrounding the project area. Please contact our Office of Environmental Programs at environmental@dnr.sc.gov should you have further questions with regard to best management practices related to this project area.



Map Credits: Sources: Esri, USGS, CNES/Airbus DS, InterMap, Kartverket, LINZ, NASA/METI, NASA/NGS, NLS Finland, NLSI, Ordnance Survey, SK Geodesy, Esri, HERE, Garmin, SafeGraph, METI/NASA, USGS, EPA, NPS, USDA, Esri, NASA, NGA, USGS, FEMA



Review of available data, National Wetlands Inventory and hydric soils, indicate that wetlands or waters of the United States are present within your project area. These areas may require a permit from the U.S. Army Corps of Engineers (USACE), as well as a compensatory mitigation plan. SCDNR advises that you consult with the USACE Regulatory to determine if jurisdictional wetlands are present and if a permit and mitigation is required for any activities impacting these areas. For more information, please visit their website at www.sac.usace.army.mil/Missions/Regulatory. Additionally, a 401 Water Quality Certification may also be required from the SC Department of Health & Environmental Control. For more information, please visit their website at <https://www.scdhec.gov/environment/water-quality/water-quality-certification-section-401-clean-water-act>.

If this project is associated with the Federal Government and the project area is or once was used as farmland, we recommend that consultation occur with the U.S. Department of Agriculture's Natural Resource Conservation Service (NRCS) per the Farmland Protection Policy Act; areas of the site are classified as prime farmland or farmland of statewide importance.


- All necessary measures must be taken to prevent oil, tar, trash and other pollutants from entering the adjacent offsite areas/wetlands/water.
- Once the project is initiated, it must be carried to completion in an expeditious manner to minimize the period of disturbance to the environment.
- Upon project completion, all disturbed areas must be permanently stabilized with vegetative cover (preferable), riprap or other erosion control methods as appropriate.
- The project must be in compliance with any applicable floodplain, stormwater, land disturbance, shoreline management guidance or riparian buffer ordinances.
- Prior to beginning any land disturbing activity, appropriate erosion and siltation control measures (e.g. silt fences or barriers) must be in place and maintained in a functioning capacity until the area is permanently stabilized.
- Materials used for erosion control (e.g., hay bales or straw mulch) will be certified as weed free by the supplier.
- Inspecting and ensuring the maintenance of temporary erosion control measures at least:
 - a. on a daily basis in areas of active construction or equipment operation;
 - b. on a weekly basis in areas with no construction or equipment operation; and
 - c. within 24 hours of each 0.5 inch of rainfall.
- Ensuring the repair of all ineffective temporary erosion control measures within 24 hours of identification, or as soon as conditions allow if compliance with this time frame would result in greater environmental impacts.
- Land disturbing activities must avoid encroachment into any wetland areas (outside the permitted impact area). Wetlands that are unavoidably impacted must be appropriately mitigated.
- Your project may require a Stormwater Permit from the SC Department of Health & Environmental Control, please visit <https://www.scdhec.gov/environment/water-quality/stormwater>

D. Project Best Management Practices (2 of 4)

SCDNR offers the following comments and best management practices (BMPs) regarding this project's potential impacts to natural resources within or surrounding the project area. Please contact our Office of Environmental Programs at environmental@dnr.sc.gov should you have further questions with regard to best management practices related to this project area.



Map Credits: Sources: Esri, USGS, CNES/Airbus DS, InterMap, Kartverket, LINZ, NASA/METI, NASA/NGS, NLS Finland, NLSI, Ordnance Survey, SKGeodesy, Esri, HERE, Garmin, SafeGraph, METI/NASA, USGS, EPA, NPS, USDA, Esri, NASA, NGA, USGS, FEMA



- If clearing must occur, riparian vegetation within wetlands and waters of the U.S. must be conducted manually and low growing, woody vegetation and shrubs must be left intact to maintain bank stability and reduce erosion.
- Construction activities must avoid and minimize, to the greatest extent practicable, disturbance of woody shoreline vegetation within the project area. Removal of vegetation should be limited to only what is necessary for construction of the proposed structures.
- Where necessary to remove vegetation, supplemental plantings should be installed following completion of the project. These plantings should consist of appropriate native species for this ecoregion.

Related to solar projects (1 of 3):


- On June 1, 2018, Governor McMaster signed into law the South Carolina Solar Habitat Act. This legislation allowed SCDNR to establish guidance for assisting solar developers in establishing their solar site as pollinator friendly habitat and to work with Clemson University to establish a framework for a voluntary solar habitat certification program. To learn more about the Solar Habitat Program, visit www.dnr.sc.gov/solar.
- Renewable energy production provides an appealing alternative to conventional forms of energy production as it does not involve many of the impacts to natural resources attributed to traditional methods. However, SCDNR believes solar farms can adversely affect valuable natural resources if they are not properly planned and constructed. Impacts to natural resources from the construction, operation, and maintenance of solar farms include: the removal of forests and riparian buffers; creation of monotypic habitat; introduction of invasive species; use of herbicides; creation of large, clear open spaces that may be barriers to dispersal; and barriers created from fencing. Furthermore, SCDNR generally discourages any type of large-scale habitat conversion. In order to offset the adverse impacts on the wildlife currently living in the project area, resulting from the permanent loss of the existing early successional forest and forested wetland habitat on this project site, we recommend the following measures be incorporated into the project design (see below):

D. Project Best Management Practices (3 of 4)

SCDNR offers the following comments and best management practices (BMPs) regarding this project's potential impacts to natural resources within or surrounding the project area. Please contact our Office of Environmental Programs at environmental@dnr.sc.gov should you have further questions with regard to best management practices related to this project area.



Map Credits: Sources: Esri, USGS, CNES/Airbus DS, InterMap, Kartverket, LINZ, NASA/METI, NASA/NGS, NLS Finland, NLSI, Ordnance Survey, SKGeodesy, Esri, HERE, Garmin, SafeGraph, METI/NASA, USGS, EPA, NPS, USDA, Esri, NASA, NGA, USGS, FEMA



Related to solar projects (2 of 3):

- SCDNR prefers and recommends the use of native warm season grasses and/or other native forbs that would be beneficial for wildlife and pollinators for stabilization and cover beneath the panels. Native warm season grass species suggestions include: indiangrass (*Sorghastrum nutans*), big bluestem (*Andropogon gerardii*) and little bluestem (*Schizachyrium scoparium*). A list of beneficial pollinator plant species, such as milkweed (*Asclepias* spp.), may be found at www.xerces.org/pollinators-southeast-region/ or at <http://www.pollinator.org/guides>. For planting details of quantities and timing, we recommend reaching out to the USDA NRCS Soil & Water Conservation Offices.
- Taller growing pollinator plant species should be planted around the periphery of the site and anywhere on the site where mowing can be restricted during the summer months. Taller plants, left unmowed during the summer, would provide benefits to pollinators, habitat to ground-nesting/feeding birds, and cover for small mammals. Low-growing/groundcover consisting of native species should be planted under the solar panels and between the rows of solar panels. This would provide benefits to pollinators while also minimizing the amount of maintenance such as mowing and herbicide treatment. Creating diversity in cover type is beneficial for a variety of wildlife.

Related to solar projects (3 of 3):


- Dependent upon the height of the solar panels, maintenance mowing should not occur between April 15 and August 1 to avoid impacts to nesting migratory birds. The mower deck should be set no lower than 6 inches high so native herbaceous vegetation will not be damaged.
- If fencing is utilized around the site, allow passage holes for small mammals/turtles.
- A vegetative buffer should be placed between the fence and the surrounding property edges. If tree shade encroaches into the solar site, use selective means of pruning to reduce the shading effects without clearing the trees completely when practical.
- Install bat and bird boxes throughout the site along with perch poles large enough to be used by raptors.
- Panels in large arrays should be treated with glare reducing coatings to minimize injury and/or direct mortality resulting from what is known as the "lake effect" (birds mistaking large solar arrays for lakes and attempting to land). Furthermore, SCDNR recommends that a plan be in place to report excessive damage to wildlife, and specifically injury/mortality of waterfowl and wading birds, which may result from the lake effect.
- Maximize stream and wetland buffer widths and do not use chemical treatments within recommended buffers, other than when necessary to control invasive species.
- Plan wildlife corridors/habitats within large arrays.

D. Project Best Management Practices (4 of 4)

SCDNR offers the following comments and best management practices (BMPs) regarding this project's potential impacts to natural resources within or surrounding the project area. Please contact our Office of Environmental Programs at environmental@dnr.sc.gov should you have further questions with regard to best management practices related to this project area.



Map Credits: Sources: Esri, USGS, CNES/Airbus DS, InterMap, Kartverket, LINZ, NASA/METI, NASA/NGS, NLS Finland, NLSI, Ordnance Survey, SKGeodesy, Esri, HERE, Garmin, SafeGraph, METI/NASA, USGS, EPA, NPS, USDA, Esri, NASA, NGA, USGS, FEMA




- Your project boundary lies within a coastal county in South Carolina which means you may also need a Coastal Zone Consistency Certification for your project from the SC Department of Health and Environmental Control. For more information, visit: <https://www.scdhec.gov/environment/your-water-coast/ocean-coastal-management/beach-management/coastal-permits/coastal-zone>
- If your project could affect coastal waters, tidelands, beaches and beach/dune systems, you may also need a critical area permit from the SC Department of Health and Environmental Control. For more information, visit: <https://www.scdhec.gov/environment/your-water-coast/ocean-coastal-management/beach-management/coastal-permits/critical-1>

E. Instructions for Submitting Species Observations

The SC Natural Heritage Dataset relies on continuous monitoring and surveying for species of concern throughout the state. Any records of species of concern found within this project area would greatly benefit the quality and comprehensiveness of the statewide dataset for rare, threatened and endangered species. Below are instructions for how to download the SC Natural Heritage Occurrence Reporting Form through the Survey123 App.

Map Credits: Sources: Esri, USGS, CNES/Airbus DS, InterMap, Kartverket, LINZ, NASA/METI, NASA/NGS, NLS Finland, NLSI, Ordnance Survey, SKGeodesy, Esri, HERE, Garmin, SafeGraph, METI/NASA, USGS, EPA, NPS, USDA, Esri, NASA, NGA, USGS, FEMA



Instructions for accessing the SC Natural Heritage Occurrence Reporting Form

For use in a browser (on your desktop/PC):

- 1) Follow <https://bit.ly/scht-reporting-form>
- 2) Select 'Open in browser'
- 3) The form will open and you can begin entering data!

This method of access will also work on a browser on a mobile device, but only when connected to the internet. To use the form in the field without relying on data/internet access, follow the steps below.

For use on a smartphone or tablet using the field app:

- 1) Download the Survey123 App from the Google Play store or the Apple Store. This app is free to download. Allow the app to use your location.
- 2) No need to sign in. However, you will need to provide the app with our Heritage Trust GIS portal web address. You will only need to do this once: (this is a known bug with ESRI's software, and future releases of the form should not require the below steps. Bear with us in the meantime!).
 - a. Tap 'Sign in'
 - b. Tap the settings (gear symbol) in the upper right corner
 - c. Tap 'Add Portal'
 - d. After the 'https://', type schtportal.dnr.sc.gov/portal
 - e. Tap 'Add Portal'
 - f. Tap the back-arrow icon (upper left corner) twice to return to the main sign in page.
- 3) Use the camera app (or other QR Reader app) to scan the QR code on this page from your smartphone or tablet. Click on the 'Open in the Survey123 field app'. This will prompt a window to allow Survey123 to download the SC Natural Heritage Occurrence Reporting Form. Select 'Open.'
- 4) The form will automatically open in Survey123, and you can begin entering data! This form will stay loaded in the app on your device until you manually delete it, and you can submit as many records as you like.





Appendix C

USFWS Correspondence



Schottleutner, Karsen

From: Caldwell, Mark <mark_caldwell@fws.gov>
Sent: Monday, June 29, 2020 7:31 AM
To: Wade, Blair
Subject: RE: [EXTERNAL] Lambert Site

CAUTION: [EXTERNAL] This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Blair,

Thank you for your inquiry. I don't see any recorded occurrences on the site. There is a 30 year old RCW record 2.5 miles north. I suggest you check out SCDNR's updated heritage trust databased. They have a very good website now. <https://schtpportal.dnr.sc.gov/portal/apps/sites/#/natural-heritage-program>

Mark A. Caldwell
Deputy Field Supervisor
US Fish and Wildlife Service
South Atlantic-Gulf Region
South Carolina Ecological Services
176 Croghan Spur Road, Suite 200
Charleston, SC 29407
843-300-0426 (direct line)
843-870-0041 (cell)
843-300-0189 – facsimile

This email correspondence and any attachments to and from this sender is subject to the Freedom of Information Act and may be disclosed to third parties.

From: Wade, Blair <Blair.Wade@hdrinc.com>
Sent: Thursday, June 25, 2020 10:19 AM
To: Caldwell, Mark <mark_caldwell@fws.gov>
Subject: [EXTERNAL] Lambert Site

Hi Mark,

HDR is working on a site near Andrews, SC and part of our scope of services includes a review for federally threatened and endangered species. We've compiled a list of species and habitats for our field team based on the USFWS IPaC and the County list. I also checked the new SCDNR tool and did not see any occurrences of state species documented or bald eagle nests. The site is in active silviculture use. Do you have any records of occurrence in this area or any T&E concerns that we need to make our field teams aware of?

Thank you,

Blair



United States Department of the Interior
FISH AND WILDLIFE SERVICE

176 Croghan Spur Road, Suite 200
Charleston, South Carolina 29407



December 9, 2021

Mr. Andrew Phillips
HDR Engineering, Inc.
4400 Leeds Avenue
North Charleston, South Carolina 29405

Re: Federal Listed Species Effects – Silicon Ranch Lambert I and II Solar Facility Project
Lambert, Georgetown County, South Carolina
FWS Log No. 2022-TA-0206

Dear Mr. Phillips:

The U.S. Fish and Wildlife Service (Service) has reviewed your December 8, 2021, letter regarding the proposed construction of a solar facility on approximately 2,082 acres of land located in Georgetown County, South Carolina. The following comments are provided in accordance with the provisions of the National Environmental Policy Act (42 U.S.C. 4321 *et seq.*); Executive Order 13186, *Responsibilities of Federal Agencies to Protect Migratory Birds*, the Bald and Golden Eagle Protection Act of 1940, as amended (16 U.S.C. § 668-668d) (BGEPA); Fish and Wildlife Coordination Act, as amended (16 U.S.C. 661667e); and section 7 of the Endangered Species Act of 1973, as amended (16 U.S.C. 15311543) (ESA).

Threatened and Endangered Species – HDR personnel conducted sites assessments on July 21st and again in October 2021. According to your letter, the project site has historically been used for silviculture for several decades. Most of the site has been recently timbered by the current landowner. Grubbing of tree stumps and minor grading would be conducted in preparation for project construction. About 135 acres of temporary and 2 acres of permanent impacts would occur on wetlands across the site. Construction of the solar facility is tentatively scheduled to begin in spring or summer of 2022.

HDR identified potentially suitable habitat for the northern long-eared bat (*Myotis septentrionalis*) (NLEB) on site. To the extent possible, the project would minimize effects on the NLEB by conducting the remaining tree clearing during the inactive season (November 15-March 31). Therefore, HDR determined that project activities *may affect but are not likely to adversely affect* the NLEB. After reviewing the information provide, the Service agrees that the project is not likely to result in *take* as prohibited under section 9 of the ESA. However, obligations of the ESA must be reconsidered if: (1) new information reveals that the proposed action may affect listed species in a manner or to an extent not previously considered; (2) the proposed action is subsequently modified to include activities which were not considered during this consultation; or (3) new species are listed, or critical habitat designated that might be affected by the proposed action.

Fish and Wildlife Coordination Act

Based upon the presence of wetlands, streams, and drainages on the project area, the developer should contact the U.S. Army Corps of Engineers prior to performing the work, if the project involves a discharge of dredged or fill material into waters of the United States.

Conservation of Migratory Birds & BGEPA

The Service recommends that migratory birds be considered when assessing potential effects of solar facilities include all found within the area. These include individuals that are resident, breeding, overwintering, migrating, staging, roosting, feeding, resting, and otherwise transiting through potential project areas. Particularly close attention should be paid to avian species listed in the Birds of Conservation Concern (BCC), a set of lists generated by the Service identifying migratory birds of high conservation priorities at a variety of spatial scales.

Potential bald eagle nesting habitat includes large trees, often near river systems, reservoirs, lakes, bays, and other fish-bearing bodies of water. Nests are usually located near the tops of the tallest trees and are added to and reused year after year. The project areas should be thoroughly surveyed immediately prior to land clearing to determine if this federally protected species or its nests may occur in the impact areas.

The Service believes it is prudent to identify preliminary concerns regarding potential impacts to migratory birds if a solar farm is constructed. We are concerned that reflective glare from a photovoltaic solar panel array may adversely affect migratory birds. While a single panel may not pose a significant threat, a collection of panels may create a reflective glare that could be mistaken as a body of water by birds in flight and their insect prey, a phenomenon referred to as the "lake effect." Injury or direct mortality may result if birds attempt to land on the solar panel array. In order to avoid or minimize migratory bird impacts, we encourage the use of glare reducing coatings on any potential solar panel array proposed for the tract.

Invasive Exotic Species – The Service is concerned with the introduction and spread of invasive exotic species in association with the proposed project. Without active management, including the re-vegetation of disturbed areas with native species, the project area will likely be a source for the movement of invasive exotic plant species. Exotic species are a major contributor to species depletion and extinction, second only to habitat loss. Exotics are a factor contributing to the endangered or threatened status of more than 40 percent of the animals and plants on the *Federal List of Endangered and Threatened Wildlife and Plants*¹. It is estimated that at least 4,000 exotic plant species and 2,300 exotic animal species are now established in the United States, costing more than \$130 billion a year to control². Additionally, the U.S. Government has many programs and laws in place to combat invasive species and thus cannot spend money to counter these efforts. Specifically, Section 2(a)(3) of Executive Order 13112 Invasive Species (February 3, 1999) directs Federal agencies to “not authorize, fund, or carry out actions that it believes are likely to cause or promote the introduction or spread of invasive species in the United States or elsewhere”. Despite their short-term erosion control benefits, many exotic species used in soil stabilization seed mixes are persistent once they are established, thereby preventing the reestablishment of native vegetation. Many of these exotics plants³ are also aggressive invaders of nearby natural areas, where they are capable of displacing already established native species. Therefore, we strongly recommend that only native plant species be used in association with all aspects of this project.

Pollinator Recommendations – Although solar energy production is a fast-growing renewable energy source that can lessen overall impacts to natural resources when compared to conventional energy sources (coal, oil, gas, etc.), the Service believes solar farms can adversely affect valuable natural resources if they are not properly planned and constructed. Impacts to natural resources from the construction, operation, and maintenance of solar farms include: the removal of forests and riparian buffers; creation of monotypic habitat; introduction of invasive species; use of herbicides; creation of large, clear open spaces; and barriers created from fencing. Recent evidence indicates that pollinators, especially native bees, and monarch butterflies, are in serious decline. Loss of habitat and diminished native food sources has decreased the populations and diversity of pollinators throughout the country. For these reasons, we recommend that solar facilities be sited in areas that are previously disturbed (fallow fields, closed industrial sites, etc.) or sites that do not impact mature forests, streams, or wetlands. To offset the overall impacts of solar facilities and/or to increase the habitat and species diversity within the solar facility area, we further recommend the following measures be implemented into project design:

¹Wilcove, D. S., D. Rothstein, J. Dubow, A. Phillips, and E. Losos. 1998. Quantifying threats to imperiled species in the United States. *BioScience* 48:607-615.

²Pimentel, D., L. Lach, R. Zuniga, and D. Morrison. 2000. Environmental and economic costs of nonindigenous species in the United States. *BioScience* 50:53-65.

³Lists of invasive exotic plants can be found at <http://www.tneppc.org/> and <http://www.invasive.org/eastern/srs/> on the Internet.

1. Sow native seed mixes with plant species that are beneficial to pollinators throughout the site. Taller growing pollinator plant species should be planted around the periphery of the site and anywhere on the site where mowing can be restricted during the summer months. Taller plants, left un-mowed during the summer, would provide benefits to pollinators, habitat to ground nesting/feeding birds, and cover for small mammals. Low growing/groundcover native species should be planted under the solar panels and between the rows of solar panels. This would provide benefits to pollinators while also minimizing the amount of maintenance such as mowing and herbicide treatment. Using a seed mix that includes milkweed species (milkweed is an important host plant for monarch butterflies) is especially beneficial. The following Web site provides a comprehensive list of native plant species that benefit pollinators: <http://www.pollinator.org/PDFs/OuterCoastal.rx5.pdf>. Additional information regarding plant species, warm season grasses, seed mixes, and pollinator habitat requirements can be provided upon request.
2. Create openings in fencing to allow passage issues for small mammals and turtles.
3. If possible, the solar field should be designed with open areas spread throughout the project site and planted and maintained with taller/pollinator friendly plant species. This practice would benefit pollinators, create diversity throughout the site, and provide much needed shelter islands to aid in the movement of small mammals and birds.
4. Mitigate for the loss of forested habitat. Though the loss of forested habitat cannot be fully mitigated when cleared for solar facilities, the Service believes measures should be implemented into the design plans to offset the impacts of the project to the greatest extent practicable. We recommend the construction and placement of bat and bird boxes throughout the site along with perch poles that are large enough to be used by raptors.
5. Provide nesting sites for pollinator species. Different pollinators have different needs for nesting sites. Therefore, the Service recommends designing the solar facility to maintain a diverse array of habitats to accommodate varied pollinators from hummingbirds to butterflies to bees. Hummingbirds typically nest in trees or shrubs while many butterflies lay eggs on specific host plants. Most bees nest in the ground and in wood or dry plant stems.

The Service recommends you contact the South Carolina Department of Natural Resources regarding potential impacts to State protected species. If you have any questions or comments or require additional information regarding this letter, please contact Ms. Morgan Wolf of my staff at 843-300-0428, or email at morgan_wolf@fws.gov, and reference FWS Log No. 2022-TA-0206.

Sincerely,



Thomas D. McCoy
Field Supervisor

TDM/MKW



September 21, 2021

Josh Fletcher
Senior Archaeologist
HDR Engineering
1122 Lady Street, Suite 1100
Columbia, SC 29201-3372
joshua.fletcher@hdrinc.com

Re: SR Lambert Project Draft CR Assessment
Georgetown County, South Carolina
SHPO Project No. 21-EJ0180

Dear Josh Fletcher:

Our Office has received on September 7, 2021 the documentation dated September 2, 2021 that you submitted as due diligence for the project referenced above, including a cover letter and the *Cultural Resources Assessment of the SR Lambert Project*. This letter is for preliminary, informational purposes only and does not constitute consultation or agency coordination with our Office as defined in 36 CFR 800: "Protection of Historic Properties" or by any state regulatory process. The recommendation stated below could change once the responsible federal and/or state agency initiates consultation with our Office.

The proposed project is defined as a development of two solar facilities (SR Lambert I and II). The project area encompasses approximately 2,082 acres and is bordered to the north by Alt. US 17 (Saints Delights Road), to the east by Wild Horse Road, to the south by County Road S-22-387, and to the west by Windum Drive. The project is approximately 6.7 miles south of the town of Andrews, South Carolina.

Our office knows of no documented historic properties that are eligible for listing or listed in the National Register of Historic Places (NRHP) in the proposed project area. Two surveys have been conducted in the project area for cultural resources/historic properties. In 1978, *Winyah-Jeffries 230 kV Transmission Line Rebuild* project survey was conducted by David Anderson of Commonwealth Associates. In 2005, the *Lambert Town kV Project* was conducted by Michael Trinkley and Nicole Southerland of the Chicora Foundation.

There is one historic structure (architectural resource 0721 also known as “The Hanging Tree”) and one prehistoric (Early Archaic to Late Woodland) archaeological site (38GE0165) within a 0.5 mile buffer of the project. Historic structure 0721 was recommended not eligible for the NRHP. Archaeological site 38GE0165 is potentially eligible for the NHRP but it is located outside of the project area in the 0.5 mile buffer zone.

According to the Cultural Resource Assessment (CRA), SR Lambert I and II are composed of 2,082 acres of which 1,504.95 acres are wetlands and the remaining 577.05 acres are marginally higher in elevation with additional areas being covered in standing water at the time of the CRA. The soils at the Project Area are heavily disturbed. Some soils previously identified as high potential/ higher elevation were found to be inundated with water. Standing water was present at 4 of the 16 shovel tests locations and no shovel tests were excavated in areas with standing water. The ground surface was inspected at each shovel test and on the exposed areas along unpaved roads, ditches, and unwooded silviculture furrows. There are no intact soils within the Project Area. The CRA identified no archaeological resources in the Area of Potential Effect (APE).

Our office accepts the draft report as final. To complete the reporting process, please provide at least two (2) hard copies of a final report: a digital copy in ADOBE Acrobat PDF format for the SHPO; one (1) bound and one (1) unbound hard copies and a digital copy in ADOBE Acrobat PDF format for SCIAA. Investigators should send all copies directly to the SHPO. The SHPO will distribute the appropriate copies to SCIAA.

Please ensure that a copy of our comments letter is included in the Appendices and Attachments of the final report.

Please provide GIS shapefiles for the surveyed area (and architectural sites as applicable). Shapefiles for identified archaeological sites should be coordinated with SCIAA. Shapefiles should be compatible with ArcGIS (.shp file format) and should be sent as a bundle in .zip format. For additional information, please see our [GIS Data Submission Requirements](#).

Please ensure that all Final survey deliverables (reports, survey forms and photographs, and GIS shapefiles) are sent to the SHPO at the same time using the same medium (e.g., DVD-RW, thumb drive, or FTP/file sharing site) to assist in project tracking. Files should be sent to rc@scdah.sc.gov. This new email address is only to be used for submitting survey deliverables. Contact your assigned reviewer directly for any questions or concerns.

If the SR Lambert Project were to require state permits or federal permits, licenses, funds, loans, grants, or assistance for development, we would recommend to the federal or state agency or agencies that additional cultural resources/historic property identification survey of the project area, as currently proposed, is not needed. Additional consultation with our office is needed if the proposed alignment changes.

The federal or state agency or agencies will take our recommendation(s) into consideration when evaluating the project and will determine if further investigation will be required.

The State Historic Preservation Office will provide comments regarding historic architectural and archaeological resources and effects to them once the federal or state agency initiates consultation. Project Review Forms and additional guidance regarding our Office's role in the compliance process and historic preservation can be found on our website at: <http://shpo.sc.gov/programs/revcomp>.

Please refer to SHPO Project Number 21-EJ0180 in any future correspondence regarding this project. If you have any questions, please contact me at (803) 896-6181 or at RPando@scdah.sc.gov

Sincerely,

Roberto G. Muñoz-Pando

Roberto G. Muñoz-Pando
Archaeologist
State Historic Preservation Office